

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
	:	Examiner: J. A. Thompson
YUJI KONNO, ET AL.)	
	:	Group Art Unit: 2625
Application No.: 09/586,884)	
	:	Confirmation No.: 8244
Filed: June 5, 2000)	
	:	
For: IMAGE RECORDING APPARATUS,)	March 26, 2008
IMAGE RECORDING METHOD,	:	
METHOD FOR CONTROLLING)	
THE IMAGE RECORDING	:	
APPARATUS, STORAGE MEDIUM)	
STORING A PROGRAM CAPABLE	:	
OF BEING READ BY A COMPUTER,)	
AND IMAGE PROCESSING	:	
METHOD)	
	:	
U.S. Patent No. 7,130,083 B1)	
	:	
Issued: October 31, 2006)	

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR
CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the
Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent

and Trademark Office mistakes and mistakes which are not the fault of the Patent and Trademark Office. A Certificate of Correction form is attached.

The statutory fee of \$100.00 is being paid electronically. Any additional fee required by this paper may be charged to Deposit Account No. 06-1205.

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our below-listed address.

Respectfully submitted,

/Scott D. Malpede/

Scott D. Malpede
Attorney for Patentees
Registration No. 32,533

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

SDM/vnm

FCHS_WS 1475397v1

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,130,083 B1

DATED : October 31, 2006

INVENTOR(S) : YUJI KONNO, ET AL.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

SHEET 9:

FIG. 9, "COORDINATE" should read --COORDINATE-- and "CORRESPONDING" should read --CORRESPONDING--.

SHEET 12:

FIG. 12, "VALVE" should read --VALUE--.

SHEET 30:

FIG. 30, "COORDINATE" should read --COORDINATE--.

SHEET 36:

FIG. 36, in S21 and S27, "ADDERESS" should read --ADDRESS-- and in S22 "URRENT" should read --CURRENT--.

COLUMN 6:

Line 20, "do" should read --dot--.

COLUMN 7:

Line 57, "do" should read --dot--.

COLUMN 22:

Line 43, "(γis" should read --(γ is--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,130,083 B2

No. of add'l. copies
@ 30¢ per page

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,130,083 B1

DATED : October 31, 2006

INVENTOR(S) : YUJI KONNO, ET AL.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 29:

Line 3, "not" should read --no--.

Line 14, "not" should read --no--.

COLUMN 34:

Line 9, "K×I" should read --K×L--.

COLUMN 37:

Line 59, "Nos. 4,723;129" should read --Nos. 4,723,129--.

COLUMN 43:

Line 37, "(≠)" should read --≠--.

Line 60, "values," should read --values;--.

FCHS_WS 1475397v1

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,130,083 B2

No. of add'l. copies
@ 30¢ per page